## Metabolic Assessment Form™

Name:					Age: Sex: Date:				
PARTI									
The state of the s					물리하다 교육 시간생활이 되었다. 그는 그는 그리고 있다.				
Please list your 5 major health concerns in order									
1.					4				
2.		7			5.		100	100	100
3.			19.1	74.2	5.	1999		-	
					estions below. 0 as the least/never to 3 as the most/a	lwa	yş.		
									_
Category I Feeling that bowels do not empty completely	0	1	2	2	Category VII				
Lower abdominal pain relieved by passing stool or gas	0	1	2	3	Abdominal distention after consumption of fiber, starches, and sugar	0	1	2	3
Lower abdominal pain relieved by passing stool or gas Alternating constipation and diarrhea Diarrhea	0	î	2	3	Abdominal distention after certain probiotic	v	7	-	2
Diarrhea	0	1	2	3	or natural supplements	0	1	2	3
Constination	- 0		2	.5 1	or natural supplements Decreased gastrointestinal motility, constipation Increased gastrointestinal motility, diarrhea Alternating constipation and diarrhea Suspicion of nutritional malabsorption Frequent use of antacid medication Have you been diagnosed with Celiac Disease	0	1	2	3
Hard, dry, or small stool Coated tongue or "fuzzy" debris on tongue Pass large amount of foul-smelling gas	0	1	2	3	Increased gastrointestinal motility, diarrhea	0	1	2	3
Coated tongue or "fuzzy" debris on tongue	0	1	2	3	Alternating constipation and diarrhea	0	1	2	3
Pass large amount of foul-smelling gas	0	1	2	3	Suspicion of nutritional malabsorption	0	1	2	3
More than 3 bowel movements daily	0	1	2	3	Frequent use of antacid medication	0	1	2	3
Use laxatives frequently	0	1	2	3	Thave you deen diagnosed with cenae Disease,				
				- 7	Irritable Bowel Syndrome, Diverticulosis/				
Category II				. 4	Diverticulitis, or Leaky Gut Syndrome?		Yes	Ne	0
Increasing frequency of food reactions		1		3	Cotonom VIII				- 10
Unpredictable food reactions	0	1	2	3	Category VIII Greasy or high-fat foods cause distress		1	2	2
Unpredictable food reactions Aches, pains, and swelling throughout the body	0	1	2	3	Lower bowel gas and/or bloating several hours	U	1	2	2
Unpredictable abdominal swelling Frequent bloating and distention after eating	0	1	2	5	after eating	0	1	2	2
Frequent bloating and distention after eating	0	. 1	2	3	after eating Bitter metallic taste in mouth, especially in the morning Burpy, fishy taste after consuming fish oils	0	î	2	3
시마 화가 있는 것이 없는 사람들이 없는 것이다.					Burny fishy taste after consuming fish oils	A	1	2	3
Category III	. :	- 3	na.		Unexplained itchy skin	0	1	ž	3
Intolerance to sinells		1	2	3	Yellowish cast to eyes	0	1	2	3
Intolerance to jewelry	0	1	2	3	Stool color alternates from clay colored to		-	Ţ.,	
Intolerance to shampoo, lotion, detergents, etc	0	1	2	3	normal brown Reddened skin, especially palms	0	1	2	3
Multiple smell and chemical sensitivities Constant skin outbreaks	0	1	2	3	Reddened skin, especially palms	0	1	2	3
Constant skin outbreaks	U	T	4	3	Dry or flaky skin and/or hair	0	1	2	3
Cotton W					Dry or flaky skin and/or hair History of gallbladder attacks or stones Have you had your gallbladder removed?			2	
Category IV Excessive belching, burping, or bloating	0	1	2	3	Have you had your gallbladder removed?		Yes	No	0
Gas immediately following a meal	0	1	2	3	Category IX				1 3
Offensive breath	0	1	2	3	Acne and unhealthy skin	0	1	2	3
Difficult bowel movements	0	1	2	3	Excessive hair loss	0	î	2	3
Sense of fullness during and after meals	0	î	2	3	Overall sense of bloating	0	î	2	3
Difficulty digesting proteins and meats;		^	_		Bodily swelling for no reason	0	î	2	3
undigested food found in stools	0	1	2	3	Hormone imbalances	0	1	2	3
					Weight gain			2	
Category V				. ]	Poor bowel function	0	1	2	3
Stomach pain, burning, or aching 1-4 hours after eating	0	1	2	3	Excessively foul-smelling sweat	0	1	2	3
Use of antacids	0	1	2	3	C-1				
Feel hungry an hour or two after eating	0	1	2	3	Category X	•	1	2	2
Heartburn when lying down or bending forward	0	1	2	3	Crave sweets during the day Irritable if meals are missed	0	1	2	3
Temporary relief by using antacids, food, milk, or					Depend on coffee to keep going/get started	0	1	2	3
carbonated beverages	0	1	2	3	Get light-headed if meals are missed	0	1	2	3
Digestive problems subside with rest and relaxation	0	1	2	3	Eating relieves fatigue	0	1	2	3
· Heartburn due to spicy foods, chocolate, citrus,					Feel shaky, jittery, or have tremors	0	î	2	3
peppers, alcohol, and caffeine	0	1	2	3	Agitated, easily upset, nervous	0	1	2	3
					Poor memory, forgetful between meals	0	1	2	3
Category VI					Blurred vision	0	1	2	3
Difficulty digesting roughage and fiber	0	1	2	3			-		
Indigestion and fullness last 2-4 hours after eating	0	1	2	3	Category XI				
Pain, tenderness, soreness on left side under rib cage	0	1	2	3	Fatigue after meals	0	1	2	3
Excessive passage of gas	0	1	2	3	Crave sweets during the day	0	1	2	3
Nausea and/or vomiting	0	1	2	3	Eating sweets does not relieve cravings for sugar	0	1	2	3
Stool undigested, foul smelling, mucus like,	0	1	2	2	Must have sweets after meals	0	1	2	3
greasy, or poorly formed Frequent loss of appetite	. 0	1 1	2	3	Waist girth is equal or larger than hip girth	0	1	2	3
Treductit 1022 of appetite	U	1	4	J	Frequent urination	0	1	2	3
					Increased thirst and appetite	0	1	2	3
					Difficulty losing weight	0	1	2	3

Category XII				
Cannot stay asleep	0	1	2	3
Crave salt	0	1	2	3
Slow starter in the morning	0	1	2	3
Afternoon fatigue	0	1	2	3
Dizziness when standing up quickly	0	1		
Afternoon headaches	0	1	2	
Headaches with exertion or stress	0	1	2	
Weak nails	0	1	2	3
Category XIII				
Cannot fall asleep	Ò	1	2	3
Perspire easily	0	1	2	3
Under a high amount of stress	Õ	î		
Weight gain when under stress	Õ	î		
Wake up tired even after 6 or more hours of sleep	0	ì		
Excessive perspiration or perspiration with little	v		_	5
or no activity	0	1	2	3
Or no activity	U	1	h	J
Catagory VIV				
Category XIV	n	4	-	2
Edema and swelling in ankles and wrists	0	1	2	3
Muscle cramping	0.	1	2	
Poor muscle endurance	0	1	-	
Frequent urination	0	1		
Frequent thirst	0	1		
Crave salt	0	1		
Abnormal sweating from minimal activity	0	1		
Alteration in bowel regularity	0			
Inability to hold breath for long periods	0			
Shallow, rapid breathing	0	1	2	3
Colora VV				
Category XV			_	•
Tired/sluggish	0	1	2	3
Feel cold—hands, feet, all over	0	1	-	3
Require excessive amounts of sleep to function properly	0	1		3
Increase in weight even with low-calorie diet	0	1		3
Gain weight easily	0	1		3
Difficult, infrequent bowel movements	0	1		
Depression/lack of motivation	0	1		3
Morning headaches that wear off as the day progresses	0	1	2	3
Outer third of eyebrow thins	0	1	2	3
Thinning of hair on scalp, face, or genitals, or excessive				
hair loss	0	1	2	3
Dryness of skin and/or scalp	0	1	2	3
Mental sluggishness	0	1	2	3
Category XVI				
Heart palpitations	0	1	2	3
Inward trembling	0	1	2	3
Increased pulse even at rest	0	1	2	3
Nervous and emotional	0	1	2	3
Insomnia	0	1	2	3
PART III				

Category XVI (Cont.)				
Night sweats	0	1	2	3
Difficulty gaining weight	0	1	2	3
	•	•	-	
Category XVII (Males Only)				
Urination difficulty or dribbling	0	1	2	3
Frequent urination Pain inside of legs or heels	0	1	2	3
Feeling of incomplete bowel emptying	0	1	2	3
Leg twitching at night	0	1	2	3
Leg twiching at hight	0	1	2	3
Category XVIII (Males Only)				
Decreased libido	0	1	2	3
Decreased number of spontaneous morning erections	0	1	2	3
Decreased fullness of erections	Ô	î	2	3
Difficulty maintaining morning erections	Õ	î	2	3
Spells of mental fatigue	0	1	2	3
Inability to concentrate	0	1	2	3
Episodes of depression	0	. 1	2	3
Muscle soreness	0	1	2	3
Decreased physical stamina	0	1	2	3
Unexplained weight gain Increase in fat distribution around chest and hips	0	1		3
Sweating attacks	0	1	_	3
More emotional than in the past	0	1		3
Work Chlorional thair in the past	0	1	2	3
Category XIX (Menstruating Females Only)				
Category XIX (Menstruating Females Only) Perimenopausal		Ves	N	n
		Yes Yes	No No	
Perimenopausal		Yes	N	0
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days)			N N	0 0
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods		Yes Yes	N N	0 0 0
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow		Yes Yes Yes	N N	0 0 0 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow	0	Yes Yes Yes	No No No No No No 2 2 2 2	0 0 0 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses	0	Yes Yes Yes 1	N: N: 2 2 2 2 2	0 0 0 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses	0 0 0	Yes Yes Yes 1 1	N N 2 2 2 2 2 2 2	0 0 0 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses	0 0 0 0 0	Yes Yes Yes 1 1 1 1	N N N 2 2 2 2 2 2 2 2	0 0 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne	0 0 0 0 0	Yes Yes Yes 1 1 1 1 1	N N N 2 2 2 2 2 2 2 2	0 0 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth	0 0 0 0 0 0	Yes Yes Yes 1 1 1 1 1 1	N N N 2 2 2 2 2 2 2 2 2 2	0 0 0 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne	0 0 0 0 0	Yes Yes Yes 1 1 1 1 1	N N N 2 2 2 2 2 2 2 2	0 0 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning	0 0 0 0 0 0	Yes Yes Yes 1 1 1 1 1 1	N N N 2 2 2 2 2 2 2 2 2 2	0 0 0 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth	0 0 0 0 0 0	Yes Yes Yes 1 1 1 1 1 1	No. No. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 3 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only)	0 0 0 0 0 0 0	Yes Yes Yes 1 1 1 1 1 1 1 1 1	N: N: N: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only) How many years have you been menopausal? Since menopause, do you ever have uterine bleeding? Hot flashes	0 0 0 0 0 0 0 0	Yes Yes Yes 1 1 1 1 1 1 1 Yes	N: N: N: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 3 3 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only) How many years have you been menopausal? Since menopause, do you ever have uterine bleeding? Hot flashes Mental fogginess	0 0 0 0 0 0 0	Yes Yes Yes 1 1 1 1 1 1 1 1 1	N: N: N: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only) How many years have you been menopausal? Since menopause, do you ever have uterine bleeding? Hot flashes Mental fogginess Disinterest in sex	0 0 0 0 0 0 0 0	Yes Yes Yes 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N-N-N-N-2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only) How many years have you been menopausal? Since menopause, do you ever have uterine bleeding? Hot flashes Mental fogginess Disinterest in sex Mood swings	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Yes Yes Yes Yes 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N: N: N: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only) How many years have you been menopausal? Since menopause, do you ever have uterine bleeding? Hot flashes Mental fogginess Disinterest in sex Mood swings Depression	000000000000000000000000000000000000000	Yes Yes Yes 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N: N: N: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only) How many years have you been menopausal? Since menopause, do you ever have uterine bleeding? Hot flashes Mental fogginess Disinterest in sex Mood swings Depression Painful intercourse	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Yes Yes Yes Yes 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N: N: N: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only) How many years have you been menopausal? Since menopause, do you ever have uterine bleeding? Hot flashes Mental fogginess Disinterest in sex Mood swings Depression Painful intercourse Shrinking breasts	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Yes Yes Yes Yes 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N. N. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only) How many years have you been menopausal? Since menopause, do you ever have uterine bleeding? Hot flashes Mental fogginess Disinterest in sex Mood swings Depression Painful intercourse Shrinking breasts Facial hair growth	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Yes Yes Yes Yes 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N. N. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Perimenopausal Alternating menstrual cycle lengths Extended menstrual cycle (greater than 32 days) Shortened menstrual cycle (less than 24 days) Pain and cramping during periods Scanty blood flow Heavy blood flow Breast pain and swelling during menses Pelvic pain during menses Irritable and depressed during menses Acne Facial hair growth Hair loss/thinning  Category XX (Menopausal Females Only) How many years have you been menopausal? Since menopause, do you ever have uterine bleeding? Hot flashes Mental fogginess Disinterest in sex Mood swings Depression Painful intercourse Shrinking breasts	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Yes Yes Yes Yes 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N. N. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3

How many alcoholic beverages do you consume per week?	Rate your stress level on a scale of 1-10 during the average week:
How many caffeinated beverages do you consume per day?	How many times do you eat fish per week?
How many times do you cat out per week?	How many times do you work out per week?
How many times do you eat raw nuts or seeds per week?	
List the three worst foods you cat during the average week:	
List the three healthiest foods you cat during the average week:	

## Part IV Check any of the following medications that you are currently taking: Antacid \_\_\_\_\_ Reason: \_\_\_\_\_ Antibiotics \_\_\_\_\_ Reason: Anti-fungal \_\_\_\_\_ Reason: \_\_\_\_\_\_ Antidepressants \_\_\_\_\_ Reason: Aspirin/Tylenol \_\_\_\_\_ Reason: Anti-inflammatory \_\_\_\_\_ Reason: Anxiety medication \_\_\_\_\_\_ Reason: \_\_\_\_\_\_ Diuretics \_\_\_\_ Reason: High Blood Pressure Reason: High Cholesterol Reason: Reason: \_\_\_\_\_ Hormone Replacement \_\_\_\_\_\_ Reason: Thyroid Hormones \_\_\_\_\_ Reason: Laxatives \_\_\_\_\_ Reason: Hydrocortisone Cream\_\_\_\_\_ Reason: Other \_\_\_\_\_ Reason: \_\_\_\_\_\_ Please list any natural supplements you are taking and the reason why: 2. \_\_\_\_\_\_ 3.

7.

12. \_\_\_\_\_